HISSAN CENTRAL EXAMINATION - 2079 (2022)

Class: XIII

Times: 3hrs

CHEMISTRY (3021 Set A) (11 Marks Objective + 64 Marks Subjective) GROUP B

Attempts all questions.


 $18 \times 5 = 40$

Short-questions:

- A Find the relationship between normality and molarity of a solution. [2]
 - B) 20 ml of $\frac{M}{2}$ H₂SO₄, 30 ml of $\frac{M}{5}$ HCl and 50 ml of $\frac{M}{10}$ HNO₃ are mixed. Find the concentration of total acid in normality and also find the mass Na@Hirequired for the complete neutralization of the acid mixture. [3]

OR

A. Draw a labelled energy profile diagram indicating E1, and E2 as potential energies of reactants and product respectively, Ea as activation energy and AH as enthalpy of reaction that proceeds as [3]



- It is observed for the above reaction that rate = $k[H_2][I_2]$ Define rate constant k and calculate the value rate of constant (k) of the reaction with units, if the initial rate of formation of $HI = 2.3 \times 10^{-5}$ mol $L^{-1}s^{-1}$ at the initial concentration of $[H_2] = 0.1 \text{ mol } / L \text{ and } [I_2] = 0.2$ [2]mol/L
- A. State Hess's law of constant heat summation.

B. Calculate the enthalpy of formation of AlCl3(s). Given

2HCl(g), $\Delta H = -185 kJ$ (i) $H_2(g) + Cl_2(g)$ $HCl(aq), \Delta H = -73.5 \text{ kJ}$ (ii) HCl(g) + aq

→ AlCl₃ (aq), ΔH = -323 kJ (iii) AlCl₃(s) + aq

(iv) $2Al(s) + 6HCl(aq) \longrightarrow 2AlCl_3(aq) + 2H_2(g), \Delta H = -1050 kJ$

[4]

- Rusting is one of the common types of corrosion in iron. It forms rust when 3. exposed to moist atmosphere
 - Define rusting of iron.
 - ii) Write chemical reaction involved in the formation of rust.
 - iii) What is meant by galvanization of iron?

[1+3+1]

[2]


- What happens when,
 - a) cupric sulphate solution is warmed with glucose in alkaline medium.
 - b) the precipitate obtained by adding NaCl solution in aqueous AgNO3 is treated with sodium cyanide solution.
 - c) mercuric chloride solution is treated with sulphur dioxide water.
 - d) potassium iodide is dropped in cupric sulphate solution.
 - e) Sodium hydroxide solution is added drop by drop in zinc sulphate [1+1+1+1+1] solution till excess.
 - 5. A. Show your familiarity on elimination reaction of haloalkane. State Saytzeff's rule and illustrate the rule on dehydrohalogenation of 2bromopentane. Chloropicrin from and
 - Chloretone obtain you can B. How [2] trichloromethane.

OR

- A. Write examples of following reactions.
 - i) Wurtz-Fittig's reaction

ii) Sandmeyer's reaction

B. Identify the compounds A, B and C in the following reaction sequence.



6. a) Carboxylic acid and phenol turn moist blue litmus into red. How can

you distinguish them by NaHCO3 test? [2] [2]

- Explain why are phenols less acidic than carboxylic acid. What is the Labermann's test of phenol?
- c)

- 7. A. The boiling point of ethyl amine is higher than methoxymethane but lower than methanoic acid although they have comparable molecular masses, Explain why? B. How is diethyl oxalate used in separation of 1°, 2° and 3° amines from
- their mixture. An organic acid A having molecular formula C4HsO2 when heated with ammonia gives the compound B C₄H₉ON. The compound B reacts with aq. Br2 and NaOH to give compound C and the compound C when treated with aqueous NaNO2 and HCl gives the compound D. The compound D gives +ve iodoform test and it gives propanone when heated with reduced Cu at

13 × 8=24 GROUP C

[5]

- A. a) Define buffer solution. How can you explain qualitatively that a 9. buffer solution containing a mixture of NH4OH and NH4Cl has a [1+2] capacity to resist the change in pH?
 - b) Explain why?
 - i) aqueous CH3COONa is basic whereas aqueous CH3COONH4 is neutral
 - ii) NH4* ion is a conjugate acid of Bronsted base NH3. [1+1]
 - B. Calculate the pH of the solution obtained by mixing equal volumes of solutions one having pH 5 and another having pH 10. [3]


OR

- A. State and explain second law of thermodynamics in terms of entropy [3] change.
- B. a) Predict which one of the following redox reactions is a spontaneous reaction
 - i) $Fe^{2+} + Sn^{4+}$ \longrightarrow $Fe^{+3} + Sn^{2+}$ ii) $Fe^{3+} + Sn^{2+}$ \longrightarrow $Fe^{2+} + Sn^{4-}$

300°C. Identify A to D with chemical reactions.

Given $\varepsilon^{0}_{Sn^{++}/Sn^{2+}} = +0.15 V$ and $\varepsilon^{0}_{Fe^{3+}/Fe^{2+}} = +0.77 V$ [2]

C) the given figure is hydrogen - oxygen fuel cell



- Define fuel cell.
- [1+2]ii) Write anodic and cathodic reaction involved in the cell.
- A. i) How is a Grignard reagent prepared? Starting from Grignard reagent, how can you obtain 1° 2° and 3° alcohol. [1]
 - ii) Why is Grignard reagent stored in dry ether .
 - B. Identify A, B and C of the following.

OR

- A. Write the possible isomeric aldehydes and ketones that can be formed from CaHrO with their IUPAC names. Which one of them give iodoform test and why? Give reaction.
- B. How are methanal and ethanal distinguished by observing the nature of reaction they show with the following reagents. [4]

b) Ammonia (NH3) a) aqueous NaOH

- 11. A. Write structural formula of each of, iv) nylon-66 [4] iii) pesticide
 - ii) insecticide i) azodye [4] B. Differentiate between PPC and OPC cement.

THE END



Class 12 complete notes and paper collection and solutions.



Class 11 (Science)

English, Nepali, Maths, Physics, chemistry, Biology, Computer




Class 12 (Science)

English, Nepali, Maths, Physics, chemistry, Biology, Computer



Physics



Chemistry



Class 11 (Management)

Model Question of Management According to new syllabus of 2078



Class 12 (Management)

odel Question of Management According to new syllabus of 2078



Maths



Biology

Feedbacks:

admin@bipinkhatri.com.np | bipinkhatri.ram@gmail.com

Contact:





